


## SC SILENCIADOR CONICO




CODIGO	A	B	C	F	L	H	G	CH	CH1	Gr
SC M5	M5	6				9,5				
SC 1/8	1/8	12	8	6	15	21				
SC 1/4	1/4	15	11	6	19	25				
SC 3/8	3/8	19	15	8	28	36				
SC 1/2	1/2	23	18	10	33	43				
SC 3/4	3/4	30	23	13	40	53				
SC 1	1"	38	28	15	48	63				



## SCQ SILENCIADOR CONICO CUADRADO




CODIGO	A	B	H	F	L	H	G	CH	CH1	Gr
SCQ M5	M5	12	19	5	15	19				
SCQ 1/8	1/8	12	7	6	15	21				
SCQ 1/4	1/4	15	8	6	19	25				
SCQ 3/8	3/8	19	10	8	28	36				
SCQ 1/2	1/2	23	14	10	33	43				
SCQ 3/4	3/4	30	16	13	40	53				
SCQ 1	1	38	20	15	48	63				



## SCT SILENCIADOR CONICO CON CORTE



CODIGO	A	B	C	F	L	H	G	CH	CH1	Gr
SCT 1/8	1/8	12	8	6	15	21				
SCT 1/4	1/4	15	11	6	19	25				
SCT 3/8	3/8	19	15	8	28	36				



Hasta fin de existencias

## SCTS SILENCIADOR CONICO CON CORTE SINT.




CODIGO	R.	A	B	Gr
SCTS 1/8	1/8	15.5	11	
SCTS 1/4	1/4	18.5	14	
SCTS 3/8	3/8	25	18	
SCTS 1/2	1/2	33	24	
SCTS 3/4	3/4	53	29.5	
SCTS 1	1"	60	35.5	



## SEP SILENCIADOR HEXAGONAL PLANO




CODIGO	A	B	C	F	L	H	G	CH	CH1	Gr
SEP M5	M5	6,5	8	3,5	3	8				
SEP 1/8	1/8	11	13	6	4	13				
SEP 1/8 H	1/8 F	11	13	6	4	13				
SEP 1/4	1/4	14	16	8	4	16				
SEP 3/8	3/8	17	19	9	4	18				
SEP 1/2	1/2	22	24	11	4	20				
SEP 3/4	3/4	28	30	13	4	24				
SEP 1"	1"	34	36	15	4	27				



## SEPX SILENCIADOR HEXAGONAL PLANO EN ACERO INOX.




CODIGO	A	CH	C	D	Gr
SEPX M5	M5	8	5	10	
SEPX 1/8	1/8	12	7	14	
SEPX 1/4	1/4	15	9	16	
SEPX 3/8	3/8	19	9	16	
SEPX 1/2	1/2	23	9.5	19	
SEPX 3/4	3/4	30	11	21	
SEPX 1"	1"	36	15	26	



## SEC SILENCIADOR HEXAGONAL ESFERICO



CODIGO	A	B	S	F	H	F	G	CH	CH1	Gr
SEC 1/8	1/8	11	4	6	16			13		
SEC 1/4	1/4	14	4	8	19			14		
SEC 3/8	3/8	17	4	9	21			19		
SEC 3/4	3/4	28	4	13	27			30		




Hasta fin de existencias

## SE SILENCIADOR HEXAGONAL



CODIGO	A	B	F	L	H	F	G	CH	CH1	Gr
SE M5	M5	4,5	3,5	-	17			7		
SE 1/8	1/8	8,5	4,5	-	21			12		
SE 1/8 H	1/8 F	7	6	16	29			13		
SE 1/4	1/4	11	6	-	27			15		
SE 3/8	3/8	14	7	-	35			19		
SE 1/2	1/2	17	8	-	40,5			23		
SE 3/4	3/4	22	9	-	51,5			30		
SE 1	1	26,5	11	-	66			36		



CODIGO	R.	A	CH	CH1	Gr
SE 1/8 NPT	1/8	22	13		
SE 1/4 NPT	1/4	28	16		
SE 3/8 NPT	3/8	32.5	19		
SE 1/2 NPT	1/2	36.5	24		



## SES SILENCIADOR HEXAGONAL EN BRONCE SINT.



CODIGO	R.	A	CH	CH1	Gr
SES 1/8	1/8	22	13		
SES 1/4	1/4	26	17		
SES 3/8	3/8	26	22		
SES 1/2	1/2	32	27		
SES 3/4	3/4	40	32		
SES 1	1	50	41		




CODIGO	R.	A	CH	Gr
SEA M5	M5	20	8	
SEA 1/8	1/8	35.5	13	
SEA 1/4	1/4	44.5	16	
SEA 3/8	3/8	47	19	
SEA 1/2	1/2	56.5	24	
SEA 3/4	3/4	57	30	
SEA 1	1	67	36	
SEA 1 1/2	1-1/2	120	55	
SEA 2	2	196	65	



## SEJ SILENCIADOR HEXAGONAL CON ROSCA CONICA



CODIGO	A	B	F	L	H	F	G	CH	CH1	Gr
SEJ 1/8	1/8	7	6	16	29			13		
SEJ 1/4	1/4	9	8	35	51			16		




Hasta fin de existencias

## SOS SILENCIADOR CON ORIENTADOR DE ESCAPE



CODIGO	A	B	L	H	E	F	G	CH	CH1	Gr
SOS 1/8	1/8	19,5	29	37						
SOS 1/4	1/4	23,5	33	45						
SOS 1/2	1/2	33,5	51	65						




Hasta fin de existencias

## ST SILENCIADOR REDONDO



CODIGO	A	B	F	L	H	F	G	CH	CH1	Gr
ST 1/8	1/8	10	6	6	12					
ST 1/4	1/4									
ST 3/8	3/8	17	7	8	15					




Hasta fin de existencias

## STT SILENCIADOR REDONDO CON CORTE




CODIGO	A	B	C	P	F	L	H	CH	CH1	Gr
STT 1/8	1/8	10	1,5	2	6	6	12			
STT 1/4	1/4	13	1,5	2	6	6	12			
STT 3/8	3/8	17	1,5	2	7	8	15			
STT 1/2	1/2	21	1,5	2	10	8	18			
STT 3/4	3/4	26	1,5	2	13	9	22			
STT 1	1	33	1,5	2	14	11	25			



## SFE SILENCIADOR CON HILO AC.INOX. HEXAGONAL




CODIGO	A	B	S	F	H	F	G	CH	CH1	Gr
SFE M5	M5	6,5	3	3,5	8			8		
SFE 1/8	1/8	11	4	6	16			13		
SFE 1/8 H	1/8 F	12	4	6	20			14		
SFE 1/4	1/4	14	4	8	19			16		
SFE 3/8	3/8	-	9	-	21			19		
SFE 1/2	1/2	-	10	-	23			24		
SFE 3/4	3/4	28	4	10	27			30		
SFE 1	1	34	4	15	29			36		



## SFEX SILENCIADOR DE ACERO INOXIDABLE




CODIGO	A	B	S	F	H	F	G	CH	CH1	Gr
SFEX M5	M5	6,5	3	3,5	8			6,5		
SFEX 1/8	1/8	11	4	6	16			13		
SFEX 1/4	1/4	14	4	8	19			16		
SFEX 3/8	3/8	17	4	9	21			19		
SFEX 1/2	1/2	22	4	10	23			24		
SFEX 3/4	3/4	28	4	10	27			30		
SFEX 1	1	34	4	15	29			36		



## SFE NPT SILENCIADOR CON HILO AC.INOX. HEXAGONAL NPT




CODIGO	A	B	S	F	H	F	G	CH	CH1	Gr
SFE 1/8 NPT	1/8									
SFE 1/4 NPT	1/4									
SFE 3/8 NPT	3/8									
SFE 1/2 NPT	1/2									
SFE 3/4 NPT	3/4									



## SFEX NPT SILENCIADOR DE ACERO INOXIDABLE NPT




CODIGO	A	B	S	F	H	F	G	CH	CH1	Gr
SFEX 1/8 NPT	1/8									
SFEX 1/4 NPT	1/4									
SFEX 3/8 NPT	3/8									
SFEX 1/2 NPT	1/2									
SFEX 1 NPT	1									



## SFEP SILENCIADOR PLASTICO HILO DE ACERO INOX. HEXAGONAL




CODIGO	A	C	D	CH	Gr
SFEP 1/8	1/8	6	16	13	
SFEP 1/4	1/4	8	19	16	
SFEP 3/8	3/8	7,5	19	19	
SFEP 1/2	1/2	10	23	24	



## SPL SILENCIADOR DE PLASTICO DINAMICO




CODIGO	A	B	F	L	H	F	G	CH	CH1	Gr
SPL 1/8	1/8	15	6	26,5	32,5					
SPL 1/4	1/4	19,5	8	35	43					
SPL 3/8	3/8	24,5	11	47	58					
SPL 1/2	1/2	24,5	11	47	58					
SPL 3/4	3/4	48	18	97	115					
SPL 1	1	48	18	97	115					



## SPL-F SILENCIADOR DE PLASTICO ESTATICO




CODIGO	A	B	F	D	H	C	G	CH	CH1	Gr
SPL-F 1/8	1/8	15,5	6	24,5	33	2,5		10		
SPL-F 1/4	1/4	19,5	8	12	32	3		12		
SPL-F 3/8	3/8	24,5	11	44	58	3		16		
SPL-F 1/2	1/2	24,5	11	44	58	3		16		
SPL-F 3/4	3/4	50	18	90	118	10		25		



## SR SILENCIADOR DE ENCHUFE RAPIDO



CODIGO	Ø	A	B	S	F	L	H	CH	CH1	Gr
SR 4	4	5	7	3	28	10	38			
SR 6	6	6	8	3	34	10	44			
SR 8	8	8	10	4	34	14	44			




Hasta fin de existencias

## SL SILENCIADOR TIPO MAXI



CODIGO	A	B	F	L	H	F	G	CH	CH1	Gr
SL 1/2	1/2	24	11	90	105			24		




Hasta fin de existencias

## SS SILENCIADOR INTERNO



CODIGO	A	B	C	H1	H	F	G	CH	CH1	Gr
SS 1/8	1/8	4	5	4	21,5					
SS 3/8	3/8	8	8	5	44					




Hasta fin de existencias

## SP SILENCIADOR DE PASTILLA




CODIGO	A	B	C	S	H	F	G	CH	CH1	Gr
SP 1/8	1/8	7	5	2	4					
SP 1/4	1/4	9	6	3	4					
SP 3/8	3/8	11	8	4	5					
SP 1/2	1/2	16	12	4	8					
SP 3/4	3/4	22	17	4	10					
SP 1	1"	28	23	4	10					



## SEF SILENCIADOR HEXAGONAL HEMBRA



CODIGO	A	F	B	H	E	F	G	CH	CH1	Gr
SEF 1/2	1/2	8	22	13				24		




Hasta fin de existencias

## SEX SILENCIADOR HEXAGONAL EN ACERO INOX.




CODIGO	A	F	H	D	E	F	G	CH	CH1	Gr
SEX M5	M5	6	25					13		
SEX 1/8	1/8	6	25					13		
SEX 1/4	1/4	8	33					16		
SEX 3/8	3/8	9	40					19		
SEX 1/2	1/2	10	47					24		
SEX 3/4	3/4	10	56					30		
SEX 1"	1"	15	64					36		



## SET SILENCIADOR P/TUBO EN BRONCE SINT.



CODIGO	A	B	C	CH	Gr
SET 4	4	13.7	10		
SET 6	6	16.4	13		
SET 8	8	24.4	17		



## SAL SILENCIADOR EN ALUMINIO




CODIGO	R.	A	B	Gr
SAL 1/8	1/8	80	50	
SAL 1/4	1/4	110	50	
SAL 3/8	3/8	130	70	
SAL 1/2	1/2	150	80	
SAL 3/4	3/4	180	90	
SAL 1	1"	220	100	
SAL 1 1/4	1 1/4	220	100	
SAL 1 1/2	1 1/2	335	135	
SAL 2	2"	480	135	



## SALM SILENCIADOR EN ALUMINIO MAXI



CODIGO	R.	A	B	Gr
SALM 3	3"	585	180	
SALM 4	4"	600	205	
SALM 6	6"	785	280	



## SPM SILENCIADOR EN POLIETILENO




CODIGO	R.	A	B	Gr
SPM M5	M5	19	7	
SPM 1/8	1/8	25	13	
SPM 1/4	1/4	31	17	
SPM 3/8	3/8	54	25	
SPM 1/2	1/2	58.5	25	
SPM 3/4	3/4	122.5	37	
SPM 1	1"	138.5	48	



## SPMT SILENCIADOR EN POLIETILENO P/TUBO




CODIGO	B	A	C	Gr
SPMT 6	6	45	12.5	
SPMT 8	8	43.5	13.5	
SPMT 10	10	57.5	15.5	
SPMT 12	12	82	18.5	



## SPO SILENCIADOR EN POLIETILENO POLIACETALICO



CODIGO	A	B	C	D	Gr
SPO 1/8	1/8	15.2	5.3	35.6	
SPO 1/4	1/4	19.2	6.5	57.4	
SPO 3/8	3/8	33.2	9	77.8	
SPO 1/2	1/2	43	10	87.4	
SPO 3/4	3/4	44.5	11.5	119.5	
SPO 1	1"	55	13	125	



## SAC SILENCIADOR EN ACERO ZINCADO



CODIGO	R.	A	CH	Gr
SAC 1/8	1/8	28.5	11	
SAC 1/4	1/4	33	14	
SAC 3/8	3/8	43.5	18	
SAC 1/2	1/2	52	22	
SAC 3/4	3/4	65	27	
SAC 1	1"	76.5	33	
SAC 1 1/4	1 1/4	91.5	46	
SAC 1 1/2	1 1/2	101.2	50	
SAC 2	2"	114.7	65	

